

2020 Habit Neo 4



We took our most fun trail bike and put a motor in it. It's play time.


Produktspezifikation

Rahmen	130mm travel, Carbon Front Triangle, SmartForm C1 Alloy Swingarm, Proportional Response Tuned Suspension, removeable downtube battery, alloy skid plate, Ai offset drivetrain, internal cable routing, 148x12mm thru-axle, post mount brake, tapered headtube
Gabel	RockShox Recon RL, 140mm, Solo Air, 15x110, tapered steerer, 51mm offset
Dämpfer	RockShox Deluxe Select R, DebonAir
Felgen	WTB STX i29 TCS, 32h, tubeless ready
Naben	(F) Formula DC-511, 15x100 (R) Formula DC-1248, 12x148
Speichen	DT Swiss Champion
Reifen	Maxxis Rekon, 29 x 2.6", EXO, tubeless ready
Pedale	Not Included
Kurbel	Bosch Gen4 w/ custom Ai offset, 34T
Kette	SRAM SX Eagle, 12-speed
Zahnkränze	SRAM PG-1210, SX Eagle, 11-50, 12-speed
Schaltwerk	SRAM SX Eagle
Schalthebel	SRAM SX Eagle, 12-speed
Lenker	Cannondale 3 Riser, 6061 Alloy, 15mm rise, 8° sweep, 4° rise, 780mm
Griffe	Fabric Funguy Locking Grips
Vorbau	Cannondale 3, 3D Forged 6061 Alloy, 1-1/8", 31.8, 0-degree
Steuersätze	Integrated Sealed Bearing, Tapered
E-Bike Drive Unit	Bosch Performance Line CX 250W
E-Bike Display	Bosch Purion
E-Bike Battery	Bosch PowerTube 500Wh
E-Bike Charger	Bosch 4a
Bremsen	SRAM Level T hydro disc, 200/200mm Centerline rotors

Sattel Fabric Scoop Shallow Sport, steel rails

Sattelstütze TranzX dropper, internal routing, 31.6, 80mm (XS), 100mm (S), 120mm (M), 130mm (L-XL)

Größen S, M, L, XL



Habit NEO

	SM	MD	LG	XL
A SEAT TUBE LENGTH (CM)	40.0	43.0	46.0	51.0
B TOP TUBE HORIZONTAL (CM)	58.7	61.0	63.7	66.5
C TOP TUBE ACTUAL (CM)	53.6	55.6	58.2	61.2
D HEAD TUBE ANGLE	66.5°	66.5°	66.5°	66.5°
E SEAT TUBE ANGLE	75.0°	75.0°	75.0°	75.0°
F STANDOVER (CM)	53.6	55.6	58.2	61.2
G HEAD TUBE LENGTH (CM)	10.0	11.0	12.0	13.0
H WHEELBASE (CM)	118.1	120.5	123.4	126.3
I FRONT CENTER (CM)	72.8	75.2	78.1	81.0
J CHAIN STAY LENGTH (CM)	45.5	45.5	45.5	45.5
K BOTTOM BRACKET DROP (CM)	3.8	3.8	3.8	3.8
L BOTTOM BRACKET HEIGHT (CM)	34.2	34.2	34.2	34.2
M FORK RAKE (CM)	5.1	5.1	5.1	5.1
N TRAIL (CM)	10.9	10.9	10.9	10.9
O STACK (CM)	60.5	61.4	62.3	63.3
P REACH (CM)	42.5	44.5	47.0	49.5